

The Future of Fume Extraction



Epoxy coated to prevent corrosion

SPECIFICATIONS

Voltage	120v	230v
Part Number	0PV4013D	0PV4010D
Wattage	1.2kW	1.2kW
Frequency	50Hz / 60Hz	50Hz / 60Hz
Cabinet Height	1195mm	1195mm
Cabinet Width	465mm	465mm
Cabinet Depth	528mm	528mm
Cabinet Weight	70kg	70kg
Sound Level	<60dBa	<60dBa
Airflow	400m3/h	400m3/h

Find out more:



www.purex.co.uk



purex@purex.co.uk



+44 (0)1405 746030

FEATURES

- Clear & informative graphic display
- Highest grade HEPA and carbon technology
- Automatic electronic flow control maintains a constant extraction rate even as the filter blocks
- Gas and particle sensors to warn the operator
- Adjustable airflow

INCLUDED AS STANDARD...

FILTERS



Main Filter Code 113498

Description HEPA/Chemical



Pre-filter Code 111097

Description F8/F9 Labyrinth



Pre-filter Code 200037

Description Chemical Absorbant Pad

CONNECTION KIT

Connection kit is included see overleaf for options

OPTIONS

Main Filter

Code: 113450

Description: HEPA/ Twin Chemical


Pre-filter


Code: 111057


Description: F6 Labyrinth


Purex Inlet


Connection Kits














If you do not see a connection kit that fits your machine or pipework, please contact Purex or your representative

Interfacing

Your Machine 10011010 Extractor

Interfacing can remotely start the Purex machine when the connected machine starts.

Interfacing can also warn the connected machine when the Purex machine is in alarm.

Take a look through our Interfacing Guide to see our extensive range of options



Purex International Limited QWP House, Island Drive Capitol Park, Thorne Doncaster, UK DN8 5UE